

Equalizer

5-10GHz/3.5 to 12.5dB, Insertion Loss

Model: TLME-5G10G-10

The TLME-5G10G-10 is a equalizer. It is a positive gain slope equalizer designed to pass 5 to 10GHz. Equalization can be applied to reduce low pass filtering effects in both RF/microwave and high speed digital systems.

Features:

- Frequency range: 5-10GHz
- Good gain equalization
- Small Size and simple to use
- Excellent return loss

Applications:

- Cable or Waveguide Loss Compensation
- Amplifier Flatness Compensation
- Microwave Radio
- RF Transceivers
- Telecom Infrastructure

Electrical Characteristics:


Parameter	Min	Typ	Max	Units
Frequency range	5		10	GHz
Insertion Loss@5GHz		12		dB
Insertion Loss@10GHz		3.5		dB
Slope		8.5		dB
Return Loss		-12		dB
Power Handling		27		dBm
Impedance	50			Ohms

Mechanical Specifications:


Parameter	Value	Units
Input /Output Connector	2.92mm Male/2.92mm Female	
Length	42.2	mm

Outline Drawing:


Unit:mm; Tolerance:±0.1mm



TLME-5G10G-10



TLME-5G10G-10-MM



TLME-5G10G-10-FF



ESD Protection: Strictly adhere to ESD precautions to prevent electrostatic damage.

Environmental Conditions:


Parameter	Min	Typ	Max	Units
Operating Temperature	-45		+85	°C
Non-operating Temperature	-55		+125	°C
Relative humidity		95		%
Altitude	10,000			feet
Shock / Vibration(MIL-STD-810F)	25g rms (15 degree 2KHz) endurance, 1 hour per axis			
Shock(non operating)	20G for 11msc half sin wave,3 axis both directions			

Ordering Information:

Base Number	Description	Revision
TLME-5G10G-10	Equalizer, 5-10GHz, Insertion loss: 12dB@5GHz; 3.5dB@10GHz; 2.92mm Male to 2.92mm Female	Rev.1.0
TLME-5G10G-10-MM	Equalizer, 5-10GHz, Insertion loss: 12dB@5GHz; 3.5dB@10GHz; 2.92mm Male to 2.92mm Male	Rev.1.0
TLME-5G10G-10-FF	Equalizer, 5-10GHz, Insertion loss: 12dB@5GHz; 3.5dB@10GHz; 2.92mm Female to 2.92mm Female	Rev.1.0

Typical Performance Data:

Return Loss&Insertion Loss vs Frequency



Note: Above data is for ref only, actual data may vary from unit to unit depending on operating environment and other factors like material lots etc.